

Message

From: Suchomel, Bruce [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=5D10AB19633E41ACAFF3030CB7BC68A5-SUCHOMEL, BRUCE]
Sent: 7/7/2017 6:28:33 PM
To: Parrotta, Nancy [Parrotta.Nancy@epa.gov]
Subject: RE: EP-C-15-022 WA 2-94 Approval

Yep – thanks for that reminder. We'll work to set things up with Cadmus early in the week, which I will communicate with them directly. That should be enough to get them going for a while.

From: Parrotta, Nancy
Sent: Friday, July 07, 2017 11:45 AM
To: Suchomel, Bruce <Suchomel.Bruce@epa.gov>
Subject: RE: EP-C-15-022 WA 2-94 Approval

She can answer questions and talk to the contractor, but she cannot issue technical direction. Only you can issue TDs...

From: Suchomel, Bruce
Sent: Friday, July 07, 2017 1:38 PM
To: Parrotta, Nancy <Parrotta.Nancy@epa.gov>
Subject: FW: EP-C-15-022 WA 2-94 Approval

. . . . also, Nancy, can I allow our permit writer for this project to contact Frank? Valois Shea is the Dewey-Burdock project contact, and though I can be on the initial call I will be out after the 13th and would like for her to work directly with Cadmus. (Valois is not a COR.) If not we can structure what we need to up thru the 13th.
Bruce

From: Suchomel, Bruce
Sent: Friday, July 07, 2017 11:33 AM
To: Parrotta, Nancy <Parrotta.Nancy@epa.gov>
Subject: RE: EP-C-15-022 WA 2-94 Approval

OK, thanks.

Bruce

From: Parrotta, Nancy
Sent: Friday, July 07, 2017 11:32 AM
To: Suchomel, Bruce <Suchomel.Bruce@epa.gov>
Subject: RE: EP-C-15-022 WA 2-94 Approval

Frank Letkiewicz is your best bet – he is the program manager for Cadmus. His contact info is below:

Frank
240-204-6204 (office)
240-604-1700 (mobile)

From: Suchomel, Bruce
Sent: Friday, July 07, 2017 1:26 PM

To: Parrotta, Nancy <Parrotta.Nancy@epa.gov>

Subject: RE: EP-C-15-022 WA 2-94 Approval

Fantastic, thanks again for getting this through so fast! I didn't see who our Cadmus point-of-contact is. Should I contact Lisa or Noelle, or do you have a name/number? Thx.

Bruce Suchomel
Environmental Engineer/COR, UIC Program
USEPA Region 8 (8WP-SUI)
1595 Wynkoop St.
Denver, CO 80202-1129
303-312-6001

From: Parrotta, Nancy

Sent: Friday, July 07, 2017 10:10 AM

To: Suchomel, Bruce <Suchomel.Bruce@epa.gov>

Subject: FW: EP-C-15-022 WA 2-94 Approval

Yay, your WA has been issued to the contractor so you can now contact them to begin work, set up a kick off conference call and send your first technical direction to them...

From: Mitchell-Flinn, Lisa

Sent: Friday, July 07, 2017 12:07 PM

To: Suchomel, Bruce <Suchomel.Bruce@epa.gov>

Cc: Parrotta, Nancy <Parrotta.Nancy@epa.gov>

Subject: EP-C-15-022 WA 2-94 Approval

Please find the above mentioned work assignment approval attached.

Regards,

Lisa Mitchell-Flinn

Contract Specialist
U.S. Environmental Protection Agency
Cincinnati Procurement Operations Division
CPOD/OW
513-487-2852 (T-Th 7:30 am – 4:00 pm)
513-675-3764 (M, F 7:30 am – 4:00 pm)
mitchell-flinn.lisa@epa.gov